



## Inspection Report

KARL MOGENSEN

Customer ID: 2468

Certificate: 52-C-0035

Site: 001

NATURAL BRIDGE ZOO

NATURAL BRIDGE ZOOLOGICAL PARK

PO BOX 88

Type: ROUTINE INSPECTION

Date: 24 June 2014

NATURAL BRIDGE, VA 24578

3.127 (a)

### FACILITIES, OUTDOOR.

The shade cloth over the asiatic bear exhibit is tattered around the edges and a portion of it has become folded under so that it no longer provides full protection from the sun. The animals do have access to their den at all times and can get out of the sun there, however, the temperature inside the den on the day of inspection was 3 degrees warmer than the outside temperature. For their comfort and well being, enough shade in addition to the den space must be provided on warm days, so that both bears can get out of the direct sunlight at the same time. Correct by 6/30/14.

3.127 (d)

### FACILITIES, OUTDOOR.

In the off-exhibit portion of the zoo, a new gate has been installed in the perimeter fence. The space under the gate is high enough for small animals such as skunks, foxes, etc. to enter the zoo property. The purpose of the perimeter fence is to contain the animals and to prevent unwanted animals from gaining entrance. To protect the animals in the zoo, the gap under the gate needs to be repaired. Correct by 7/24/14

An exit interview was conducted with the licensee.

Prepared By:

DORIS HACKWORTH, D V M

DORIS T HACKWORTH, D V M USDA, APHIS, Animal Care

Title:

VETERINARY MEDICAL OFFICER Inspector 2029

Date:

24 June 2014

Received By:

(b)(6),(b)(7)(c)

Date:

24 June 2014

Title: